EQUISOL

SECTION 1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product Name	EQUISOL VITALISE
Other Names	NA
Manufacturer's Product Code	REJUVEN8
Recommended Use	Timber brightener cleaner

Supplier

Company	Surface Logic Pty Ltd
Address	2/17 Bailey Crescent, Southport, Qld 4215
Phone	1300 966 322
Website	equisol.com.au

Emergency Telephone Numbers

Business Hours	0403 477 772	
After Hours	0403 477 772	
Poisons Information	Australia 13 11 26	New Zealand 0800 764 766

EQUISOL

SECTION 2. HAZARDS IDENTIFICATION Signal Word Danger HAZARD **CLASSIFICATIONS** Category 4 Acute Toxicity - Oral Acute Toxicity - Dermal Category 2 Skin Corrosion/Irritation Category 1 Serious Eye Damage/Irritation CAUSES Category 1A Sensitisation - Skin ALLERGIC SKIN REACTION HAZARD **STATEMENTS** H302 Harmful if swallowed H312 Harmful in contact with skin H315 Causes skin irritation H317 May cause an allergic skin reaction H318 Causes serious eye damage CORROSIVE

Precautionary statements

PREVENTION		
P102	Keep out of reach of children	
P103	Read label before use	
P261	Avoid breathing dust, fume, gas, mist, vapours or spray.	
P264	Wash hands, face and all exposed skin thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P280	Wear protective clothing, gloves, eye/face protection and suitable respirator.	
RESPONSE		
P101	If medical advice is needed, have product container or label at hand.	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician	
P302+P352	IF ON SKIN: Wash with plenty of soap and water.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes.	
	Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTRE or doctor/physician.	
P330	Rinse mouth.	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	
P362	Take off contaminated clothing and wash before reuse.	
STORAGE		
P405	Not allocated	
DISPOSAL		
P501	Dispose of contents/container in accordance with local, regional, national and international regulations.	
POISON		
SCHEDULE	S6. Poison	
DANGEROUS	Not classified as Dangerous Goods by the criteria of the "Australian Code for the	
GOOD	Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433:	
CLASSIFICATION	Transport of Dangerous Goods on Land".	

SECTION 3. COMPOSITION AND INFORMATION ON INGREDIENTS

CHEMICAL ENTITY	CAS NO.	PROPORTION
	CAS NO.	PROPORTION
Oxalic acid	144-62-7	1-10% (w/w)
Surfactant mixture	-	1-10% (w/w)
Terpenes and terpenoids, orange oil	68647-72-3	1-10% (w/w)
Ingredients determined to be non-hazardous or below reporting limits		Balance
		100%

SECTION 4. FIRST AID MEASURES			
	contact a doctor or Poisons Information Centre 126, New Zealand 0800 764 766).		
INHALATION	Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.		
SKIN CONTACT	Effects may be delayed. This material, or a component of the material, can be absorbed through the skin with resultant toxic effects. If skin or hair contact occurs, immediately remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre or a Doctor; or for 15 minutes and transport to Doctor or Hospital.		
EYE CONTACT	Immediately irrigate with copious quantities of water for 15 minutes. Eyelids to be held open. Remove clothing if contaminated and wash skin. Urgently seek medical assistance. Transport to hospital or medical centre.		
INGESTION	Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Immediately call Poisons Centre or Doctor.		
PPE FOR FIRST AIDERS	Wear safety shoes, overalls, gloves, chemical goggles. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.		

SECTION 5. FIRE FIGHTING MEASURES				
HAZCHEM CODE	Not applicable.			
SUITABLE EXTINGUISHING MEDIA	If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).			
SPECIFIC HAZARDS	Non-combustible material.			
FIRE FIGHTING FURTHER ADVICE	Not combustible, however following evaporation of aqueous component residual material can burn if ignited.			

SECTION 6. ACCID	ENTAL RELEASE MEASURES
SMALL SPILLS	Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.
LARGE SPILLS	Clear area of all unprotected personnel. Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.
DANGEROUS GOODS - INITIAL EMERGENCY RESPONSE GUIDE NO.	Not applicable

SECTION 7. HANDLING AND STORAGE			
HANDLING	Avoid eye contact and skin contact. Avoid inhalation of vapour, mist or aerosols.		
STORAGE	 Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Keep container standing upright. Keep containers closed when not in use - check regularly for leaks. This material is a Scheduled Poison Schedule 6 (Poison) and must be stored, maintained and used in accordance with the relevant regulations. 		

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION						
NATIONAL OCCUPATIONAL		TWA		STEL		NOTICES
EXPOSURE LIMITS	Oxalic acid	ppm -	mg/m3 1	ppm -	mg/m3 2	-
	As published by Safe Work Australia. TWA - The time-weighted average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life. STEL (Short Term Exposure Limit) - the average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight- hour workday.					
BIOLOGICAL LIMIT VALUES	As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.					
ENGINEERING MEASURES	Ensure ventilation is adequate to maintain air concentrations below Exposure Standards. Use only in well ventilated areas. Use with local exhaust ventilation or while wearing appropriate respirator. Vapour heavier than air - prevent concentration in hollows or sumps. Do NOT enter confined spaces where vapour may have collected.					
PERSONAL PROTECTION EQUIPMENT	SAFETY SHOES, OVERALLS, GLOVES, CHEMICAL GOGGLES. Wear safety shoes, overalls, gloves, chemical goggles. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.					
HYGIENE MEASURES	Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and skin contact. Avoid inhalation of vapour, mist or aerosols. Ensure that eyewash stations and safety showers are close to the workstation location.					

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES		
FORM	Liquid	
COLOUR	Lime yellow	
ODOUR	Slight acidic	
SOLUBILITY	Soluble in water	
SPECIFIC GRAVITY	1.045	
RELATIVE VAPOUR DENSITY (AIR=1)	>1	
VAPOUR PRESSURE (20 °C)	Not available	
FLASH POINT (°C)	Not applicable	
FLAMMABILITY LIMITS (%)	Not applicable	
AUTOIGNITION TEMPERATURE (°C)	Not available	
MELTING POINT/RANGE (°C)	Not available	
BOILING POINT/RANGE (°C)	Approx. 100	
РН	Not available	
VISCOSITY	Not available	
TOTAL VOC (G/LITRE)	Not available	

SECTION 10. STABILITY AND REACTIVITY			
CHEMICAL STABILITY	This material is thermally stable when stored and used as directed.		
CONDITIONS TO AVOID	Elevated temperatures and sources of ignition.		
INCOMPATIBLE MATERIALS	Oxidising agents.		
HAZARDOUS DECOMPOSITION PRODUCTS	Oxides of carbon and nitrogen, smoke and other toxic fumes.		
HAZARDOUS REACTIONS	No known hazardous reactions.		

EQUISOL

SECTION 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

ACUTE EFFECTS

Inhalation: Material may be an irritant to mucous membranes and respiratory tract.

Skin contact: Harmful in contact with skin. Can be absorbed through the skin with resultant toxic effects. Contact with skin will result in irritation. A skin sensitiser. Repeated or prolonged skin contact may lead to allergic contact dermatitis.

Ingestion: Harmful if swallowed. Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

Eye contact: A severe eye irritant. Corrosive to eyes: contact can cause corneal burns. Contamination of eyes can result in permanent injury.

ACUTE TOXICITY

Inhalation: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): LC50 > 20.0 mg/L for vapours or LC50 > 5.0 mg/L for dust and mist or LC50 > 20,000 ppm for gas

Skin contact: This material has been classified as a Category 4 Hazard. Acute toxicity estimate (based on ingredients): 1,000 - 2,000 mg/Kg bw

Ingestion: This material has been classified as a Category 4 Hazard. Acute toxicity estimate (based on ingredients): 300 - 2,000 mg/Kg bw

Corrosion/Irritancy: Eye: this material has been classified as a Category 1 Hazard (irreversible effects to eyes). Skin: this material has been classified as a Category 2 Hazard (reversible effects to skin).

Sensitisation: Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as a Category 1A Hazard (skin sensitiser).

Aspiration hazard: This material has been classified as non-hazardous.

CHRONIC TOXICITY

Mutagenicity: This material has been classified as non-hazardous.

Carcinogenicity: This material has been classified as non-hazardous.

Reproductive toxicity (including via lactation): This material has been classified as non-hazardous.

Specific target organ toxicity (repeat exposure): This material has been classified as non-hazardous.

EQUISOL

SECTION 12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Acute aquatic hazard: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >100 mg/L

Long-term aquatic hazard: This material has been classified as a Category Chronic 3 Hazard (9.1C New Zealand). Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): 10 - 100 mg/L, where the substance is not rapidly degradable and/or BCF \geq 500 and/or log Kow \geq 4.

Ecotoxicity: No information available.

Persistence and degradability: No information available.

Bioaccumulative potential: No information available.

Mobility: No information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible, material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

SECTION 14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

EQUISOL

SECTION 15. REGULATORY INFORMATION

This material is not subject to the following international agreements:

- Montreal Protocol (Ozone depleting substances)
- The Stockholm Convention (Persistent Organic Pollutants)
- The Rotterdam Convention (Prior Informed Consent)
- Basel Convention (Hazardous Waste)
- International Convention for the Prevention of Pollution from Ships (MARPOL)

This material/constituent(s) is covered by the following requirements:

- The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the Therapeutic Goods Act (Commonwealth).
- All components of this product are listed on or exempt from the Australian Inventory of Chemical Substances (AICS).
- All components of this product are listed on or exempt from the New Zealand Inventory of Chemical (NZIoC).

HSNO Group Standard: HSR002530 - Cleaning Products (Subsidiary Hazard) Group Standard

SECTION 16. OTHER INFORMATION

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Surface Logic Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.