













# **VISTACLAD SYSTEM COMPONENTS**

The VistaClad system combines Eva-Last composite technologies with an innovative installation process to provide a robust and convenient cladding solution. The resultant hidden fixing generates an unblemished finish and avoids the limitations or inconvenience of fastening through composite.



**Composite Cladding Boards** 



Clip Strips



**Adapters and Trim Profiles** 

# **CUTTING-EDGE SUSTAINABLE CLADDING**

VistaClad composite cladding breathes vibrancy into your home or office space and enhances your walls with the attractive look of hardwoods. Let routine maintenance and premature replacement be things of the past as you look to the future with one of the most cutting-edge, and durable cladding products available. VistaClad is available in a selection of natural looking colours and comes with a complementary trim solution for a neat and tidy finish.



# TAKE HOME THE BENEFITS







# CLIP LOCK DESIGN

Boards securely click & lock into place to withstand strong winds



# COMPLETE CLADDING SOLUTION

Innovative system with concealed fastening & trim for a finished look



# LIGHTWEIGHT

Smart system engineered for lighter weight & better airflow



# **VENTILATED & INSULATED**

Design allows for system ventilation & natural insulation



### LOW-MAINTENANCE

Ideal for large-scale projects & application at height



### **DECAY RESISTANT**

Resists biodegradation, corrosion, insects, UV, & harsh weather



### **COST-EFFECTIVE SYSTEM**

Save on fast, simplified installation & overall upkeep



### **ECO-FRIENDLY**


Sustainable manufacturing & use of raw materials



# VISTACLAD CLADDING IN APEX PVC COMPOSITE


VistaClad is available in Apex PVC composite. Backed by a 30-year warranty, Apex lightweight, capped composite is an ideal cladding material. The dual colour finish of Apex provides an exceptionally natural looking composite which embodies the essence of timber in a range of nuanced shades to complement your overall project. Install this environmentally friendly, low-maintenance cladding vertically or horizontally to suit your style.





# APEX FOAMED-PVC CLADDING PROFILE

| Cross section | Product description | Dimensions    | Coverage             | Mass     |
|---------------|---------------------|---------------|----------------------|----------|
| Triple        | Two grooves         | 163 x 24.5 mm | 6.6 m/m <sup>2</sup> | 1.6 kg/m |





# VISTACLAD IN APEX DUAL TONE COLOUR TECHNOLOGY

The Apex dual tone colour range offers a sculpted grain finish for more natural looking cladding. Each cladding board has an extra layer of colour added to create the subtle variances found in timber. The sculpted grain finish produces a texture that embodies the look of wood to give your exterior walls the beauty of timber cladding in a more resilient, low-maintenance, and eco-friendly composite option.





Sculpted Grain Surface Finish





# THE CLIP STRIP

The VistaClad clip strip uses a punched spring design that allows the cladding boards to be easily and securely clicked into place. Three epoxy-coated, zinc-galvanised strip profile options provide flexibility in application and allow for optimal ventilation and drainage.

# The dual spring-loaded clip creates a rigid hold and locks the boards in place.



# **FLAT CLIP STRIP**

The flat clip strip is fitted directly to the wall substrate or frame. As a result, this solution provides the smallest ventilation/drainage cavity and fixing can only be done through the face of the clip strip.

Dimensions 40 x 11.7 mm (1.8 m lengths)

Weight 0.4 kg/m



# TOP HAT CLIP STRIP

The top hat clip strip fits over 38 mm (timber) and 40 mm (composite and steel) supports. As a result, the ventilation/drainage cavity will be influenced by the thickness of the support as well as the fixing method but the minimum depth the top hat profile allows for is 25.4 mm. Fixing can be done through the face, the side, and either side of the clip strip base. Fixing through the side allows for the top hat to be plumbed quickly and easily.

Dimensions 85.4 x 35.9 mm (2.7 m lengths)


Weight 1.2 kg/m



# **NYLON ADAPTORS**




# **ALUMINIUM TRIM PROFILES**



# TRIM APPLICATIONS

Window applications

Trim accessories hide the structure for a neat final look and can be installed using sealing strips to improve the weather resistance of the cladding surface. The clip strip allows for easy guided placement of the adaptors and the universal trims may be used with VistaClad or any cladding boards with a thickness of 20.5 to 26.5 mm.





### RENEWABLE RESOURCES & RENEWABLE ENERGY

We believe that how we manufacture is just as important as what we manufacture when it comes to going green. That's why we've traded in fossil fuels for renewable energy. Our products use solar power as part of our manufacturing process. We are fully committed to bringing you a product that's holistically sustainable.

Eva-Last is internationally recognised for our commitment to the environment. We're proud of the work we do to promote environmental sustainability, and invite you to choose timber alternatives that are gentle on the Earth.

- Made from recycled materials
- No trees felled
- No treatment or toxic chemicals required for maintenance
- Solar power used in the manufacturing process
- Reduced impact on landfills
- Reduced carbon footprint

Proudly distributed in Australia by



saleswa@iti.net.au

ITI WA (Perth) - Tel: 08 9256 5700

102-108 Bannister Rd, Canning Vale, WA 6155













### www.eva-last.net.au

Eva-Last reserves the rights to all brands, products and trademarks within this publication.

Eva-Last ITEM: WA VISTACLAD BROCHURE 0824 V1

### Disclaimer:

Although we make every effort to ensure the information contained in this brochure is accurate, we are NOT responsible for any errors or misprint that occurs and we are NOT responsible for ANY damage or liability that result from the use (or misuse) of the information. In the event that an error does occur, we reserve the right to correct, or make changes to, this information at any time.

#### Disclaimer:

Dimensional and mass data provided herein is indicative based on typical production and may vary with manufacture and material tolerance. Before installing any Eva-Last product, ensure that the application is rational and complies with the local regulations and building codes. Wherever necessary, consult a suitably qualified professional.